THE INSTITUTION
OF ELECTRICAL
ENGINEERS

IEE PROCEEDINGS-A

Science, Measurement and Technology

Vol. 138, 1991

Published by
The IEE, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

IEE Proceedings-A

Science, Measurement and Technology

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

Volume 138 1991 UK ISSN 0960–764X

HONORARY EDITORS

Dr. G.W. Chantry (*Information Technology Transfer Consultant*)
Dr. M.J. Cunningham (*University of Manchester*)

Pages in issues of *IEE Proceedings-A*, 1991

Pages	Issue No.	Date
1–100	1	January
101–144	2	March
145–204	3	May
205–248	4	July
249–288	5	September
289–336	6	November

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright, Designs and Patents Act 1988, Part 1, Section 38, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by The Copyright (Librarians and Archivists) (Copying of Copyright Material) Regulations 1989: SI 1989/1212, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $3.00 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0960–764X/91 $3.00 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge.

The telephone number of the IEE London office is 071 240 1871; telex: 261176 IEELDN G; facsimile: 071 240 77 35.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

© 1991: The Institution of Electrical Engineers

Secretary of the IEE: J.C. Williams, PhD, FEng, FIEE
Managing Editor: Gill Wheeler; *Assistant Editor:* Fiona MacDonald
Graphics Manager: Maurice Partridge

Typeset by: Santype International Limited, Salisbury, Wiltshire, United Kingdom
Printed by: Unwin Brothers Limited, Old Woking, Surrey, United Kingdom

Index

IEE Proceedings-A
Science, Measurement and Technology

Vol. 138, 1991

ABBREVIATIONS

- p paper, address or lecture
- d discussion on a paper
- a abstract of paper or address
- e errata
- s synopsis of a paper published in full in another Part of the IEE Proceedings

Author index

A

Al-Bawy, I., and Farish, O. Charge deposition on an insulating spacer under impulse-voltage conditions p145
Al-Bawy, I., and Farish, O. Insulator flashover in SF_6 under impulse voltage conditions p89
Allen, N.L., Boutlendj, M., Lightfoot, H.A., and Neville, R.B. see Boutlendj, M.
Allen, N.L., and Boutlendj, M. Study of the electric fields required for streamer propagation in humid air p37
Antonopoulos, C.S., Panas, S.M., and Kriezis, E.E. Transient electromagnetic shielding in a system of two coaxial cylindrical shells p281
Ari, N., and Blumer, W. see Blumer, W.
Auckland, D.W., and Varlow, B.R. Dependence of electrical tree inception and growth on mechanical properties p51

B

Barrow, D.R., Howe, A.F., and Cook, N. The chemistry of electric fuse arcing p83
Benítez, J.G., Montaño, J.C., Ibáñez, M.C., and Ojeda, A.L. see Montaño, J.C.
Binns, K.J., Liu, Z.J., and Vourdas, A. see Liu, Z.J.
Blumer, W., and Ari, N. NEMP-interaction with plane multilayer structures p199
Bond, L.J., Shiloh, K., and Som, A.K. see Shiloh, K.
Bond, L.J., and Clark, R. see Clark, R.
Boutlendj, M., Allen, N.L., Lightfoot, H.A., and Neville, R.B. Positive DC corona and sparkover in short and long rod-plane gaps under variable humidity conditions p31
Boutlendj, M., and Allen, N.L. see Allen, N.L.
Bu, W.H., and Fang, M.T.C. see Fang, M.T.C.

C

Carpenter, C.J. Electromagnetic energy changes due to charges moving through constant, or zero, magnetic field p55
Christopoulos, C., and Hui, S.Y.R. see Hui, S.Y.R.
Clark, R., and Bond, L.J. Response of horizontal axis eddy current coils to layered media: a theoretical and experimental study p248
Cook, N., Barrow, D.R., and Howe, A.F. see Barrow, D.R.
Corlett, B.J., Lucas, J., and Smith, J.S. Sensors for narrow-gap welding p213

D

Davis, L.E., and Smith, P.A. Q of a coaxial cavity with a superconducting inner conductor p313
Domaradzki, P., Henderson, I.A., McGhee, J., and Szaniawski, W. see Henderson, I.A.
Dupuy, J., Rickard, D.A., and Waters, R.T. see Rickard, D.A.

E

Elayyan, H.S.B., Haddad, A., and German, D.M. see Haddad, A.

F

Fang, M.T.C., Taylor, S., Jones, G.R., and Shimmin, D.S. see Taylor, S.
Fang, M.T.C., and Bu, W.H. Investigation of ablation-dominated AC nozzle arcs p71
Farish, O., and Al-Bawy, I. see Al-Bawy, I.

G

German, D.M., Haddad, A., and Elayyan, H.S.B. see Haddad, A.
Göksu, Ç., and Güneş, F. High frequency surface currents induced on a soft-hard cylindrical strip p113
Güneş, F., and Göksu, Ç. see Göksu, Ç.
Gundrum, H., Rizkalla, M.E., and Michel, H. see Rizkalla, M.E.

H

Haddad, A., Elayyan, H.S.B., and German, D.M. ZnO surge arrester elements with mixed direct and 50 Hz voltages p265
Hann, R.A., and Webb, P.W. see Webb, P.W.
Harid, N., and Waters, R.T. Statistical study of impulse corona inception parameters on line conductors p161
Henderson, I.A., McGhee, J., Szaniawski, W., and Domaradzki, P. Incorporating high reliability into the design of microprocessor-based instrumentation p105
Howe, A.F., Barrow, D.R., and Cook, N. see Barrow, D.R.
Hu, D., and Makin, B. Study of a five-electrode quadrupole levitation system. Part I: Theoretical aspects p320
Hu, D., and Makin, B. Study of a five-electrode quadrupole levitation system. Part II: Experimental results p329
Hui, S.Y.R., and Christopoulos, C. Discrete transform technique for solving coupled integro-differential equations in digital computers p273

I

Ibáñez, M.C., Montaño, J.C., Ojeda, A.L., and Benítez, J.G. see Montaño, J.C.
Ikejiri, T., and Kawamoto, A. Erosive failure caused by surface discharge on the surface of epoxy resin immersed in insulating oil p288

J

Jones, D.A. President's Inaugural address: Electrical engineering; the backbone of society p1
Jones, G.R., Taylor, S., Fang, M.T.C., and Shimmin, D.S. see Taylor, S.

K

Kawamoto, A., and Ikejiri, T. see Ikejiri, T.
Kibble, B.P. Present state of the electrical units (Commissioned IEE review) p187
Knight, R.B.D., Legg, D.J., and Martin, P. Digital 'bridge' for comparison of AC–DC transfer instruments p169
Knight, R.B.D., Legg, D.J., and Martin, P. Use of current comparators in the calibration of AC–DC transfer standards p101
Konar, A., and Mandal, A.K. Microprocessor based automatic sun tracker p237
Kriezis, E.E., Antonopoulos, C.S., and Panas, S.M. see Antonopoulos, C.S.

L

Legg, D.J., Knight, R.B.D., and Martin, P. see Knight, R.B.D.
Legg, D.J., Knight, R.B.D., and Martin, P. see Knight, R.B.D.
Lightfoot, H.A., Boutlendj, M., Allen, N.L., and Neville, R.B. see Boutlendj, M.
Liu, Z.J., Vourdas, A., and Binns, K.J. Magnetic field and eddy current losses in linear and rotating permanent magnet machines with a large number of poles p289
Lucas, J., Corlett, B.J., and Smith, J.S. see Corlett, B.J.

M

Makin, B., and Hu, D. see Hu, D.
Makin, B., and Hu, D. see Hu, D.
Mandal, A.K., and Konar, A. see Konar, A.
Martin, P., Knight, R.B.D., and Legg, D.J. see Knight, R.B.D.
McGhee, J., Henderson, I.A., Szaniawski, W., and Domaradzki, P. see Henderson, I.A.
Michel, H., Rizkalla, M.E., and Gundrum, H. see Rizkalla, M.E.
Montaño, J.C., Ibáñez, M.C., Ojeda, A.L., and Benítez, J.G. Measurement of the load admittance and reactive current RMS value in the frequency domain p138
Morrow, R., Murphy, A.B., and Powell, K.J. see Murphy, A.B.
Murphy, A.B., Powell, K.J., and Morrow, R. Thermal treatment of sewage sludge by ohmic heating p242

N

Naidu, S.R. Time domain model for the ferromagnetic core, including the effects of hysteresis and eddy currents p44
Neville, R.B., Boutlendj, M., Allen, N.L., and Lightfoot, H.A. see Boutlendj, M.

O

O'Connor, W. Forces on semi-infinite overlapping rectangular poles: infinity permeable against saturable case p176
Ohki, M., and Saito, S. Effect of a magnetic field on low-pressure gaseous breakdown along the surface of a solid insulator p300
Ojeda, A.L., Montaño, J.C., Ibáñez, M.C., and Benítez, J.G. see Montaño, J.C.
Ongaro, R., and Pillonnet, A. Synthetic theory of Poole and Poole–Frenkel (PF) effects p127
Overshott, K.J. Address as Chairman of the IEE Science Education & Technology Division: Magnetism; it is permanent p22

P

Panas, S.M., Antonopoulos, C.S., and Kriezis, E.E. see Antonopoulos, C.S.
Pillonnet, A., and Ongaro, R. see Ongaro, R.
Powell, K.J., Murphy, A.B., and Morrow, R. see Murphy, A.B.

R

Reed, I.S. Wave packet with special relativity demonstrating quantum rules, Schrödinger's equation and propagator integral p223
Rickard, D.A., Dupuy, J., and Waters, R.T. Verification of an alternating current corona model for use as a transmission line design aid p250
Rizkalla, M.E., Gundrum, H., and Michel, H. Design of a fractional phase locked-loop frequency synthesiser using a Motorola based microcontroller p295
Robinson, G. Discharges in asymmetric cavities under AC stresses p119

S

Saito, S., and Ohki, M. see Ohki, M.
Sheshadri, T.S. MHD arcjet onset studies p286
Shiloh, K., Som, A.K., and Bond, L.J. Characterisation of high frequency focused ultrasonic transducers using modulation transfer function: Concept and experimental approach p205
Shimmin, D.S., Taylor, S., Fang, M.T.C., and Jones, G.R. see Taylor, S.
Smith, J.S., Corlett, B.J., and Lucas, J. see Corlett, B.J.
Smith, P.A., and Davis, L.E. see Davis, L.E.

Sobocki, R. Function representation of lightning impulses produced by a testing circuit with continuity of voltages and currents at a tested object p78
Som, A.K., Shiloh, K., and Bond, L.J. see Shiloh, K.
Szaniawski, W., Henderson, I.A., McGhee, J., and Domaradzki, P. see Henderson, I.A.

T

Taylor, S., Fang, M.T.C., Jones, G.R., and Shimmin, D.S. Current zero flow conditions in a circuit breaker-nozzle p259
Towill, D.R. Address as Chairman of the IEE Management & Design Division: Engineering change; or is it change engineering? A personal perspective p11

V

Varlow, B.R., and Auckland, D.W. see Auckland, D.W.
Vourdas, A., Liu, Z.J., and Binns, K.J. see Liu, Z.J.

W

Wait, J.R. Electromagnetic surface impedance of an anisotropic cylinder p184
Waters, R.T., Rickard, D.A., and Dupuy, J. see Rickard, D.A.
Waters, R.T., and Harid, N. see Harid, N.
Webb, P.W., and Hann, R.A. Measurement of thermal transients in a thermal print head used for dye diffusion colour printing p98
Wilson, A. Slot discharge damage in air cooled stator windings p153
Woods, R.C. Design of surface-acoustic wave devices p181

Addresses

Jones, D.A. President's Inaugural address: Electrical engineering; the backbone of society p1
Overshott, K.J. Address as Chairman of the IEE Science Education & Technology Division: Magnetism; it is permanent p22
Towill, D.R. Address as Chairman of the IEE Management & Design Division: Engineering change; or is it change engineering? A personal perspective p11

IEE commissioned reviews

Kibble, B.P. Present state of the electrical units p187

Subject index

ACOUSTOELECTRIC EFFECTS

Characterisation of high frequency focused ultrasonic transducers using modulation transfer function: Concept and experimental approach. K. Shiloh, A.K. Som and L.J. Bond p205

ARCING

Current zero flow conditions in a circuit breaker-nozzle. S. Taylor, M.T.C. Fang, G.R. Jones and D.S. Shimmin p259
Discharges in asymmetric cavities under AC stresses. G. Robinson p119
Effect of a magnetic field on low-pressure gaseous breakdown along the surface of a solid insulator. M. Ohki and S. Saito p300
Erosive failure caused by surface discharge on the surface of epoxy resin immersed in insulating oil. T. Ikejiri and A. Kawamoto p288
Investigation of ablation-dominated AC nozzle arcs. M.T.C. Fang and W.H. Bu p71
MHD arcjet onset studies. T.S. Sheshadri p286
The chemistry of electric fuse arcing. D.R. Barrow, A.F. Howe and N. Cook p83
Verification of an alternating current corona model for use as a transmission line design aid. D.A. Rickard, J. Dupuy and R.T. Waters p250

BREAKDOWN AND GAS DISCHARGES

Effect of a magnetic field on low-pressure gaseous breakdown along the surface of a solid insulator. M. Ohki and S. Saito p300
Positive DC corona and sparkover in short and long rod-plane gaps under variable humidity conditions. M. Boutlendj, N.L. Allen, H.A. Lightfoot and R.B. Neville p31
Study of the electric fields required for streamer propagation in humid air. N.L. Allen and M. Boutlendj p37
Synthetic theory of Poole and Poole–Frenkel (PF) effects. R. Ongaro and A. Pillonnet p127

CIRCUIT BREAKERS AND CIRCUIT BREAKING

Current zero flow conditions in a circuit breaker-nozzle. S. Taylor, M.T.C. Fang, G.R. Jones and D.S. Shimmin p259

COAXIAL COMPONENTS

Transient electromagnetic shielding in a system of two coaxial cylindrical shells. C.S. Antonopoulos, S.M. Panas and E.E. Kriezis p281

CONDUCTORS AND CONDUCTIVITY

Q of a coaxial cavity with a superconducting inner conductor. L.E. Davis and P.A. Smith p313

CONTROL SYSTEMS

Microprocessor based automatic sun tracker. A. Konar and A.K. Mandal p237
Sensors for narrow-gap welding. B.J. Corlett, J. Lucas and J.S. Smith p213

CONVERTORS

Digital 'bridge' for comparison of AC–DC transfer instruments. R.B.D. Knight, D.J. Legg and P. Martin p169
Use of current comparators in the calibration of AC–DC transfer standards. R.B.D. Knight, D.J. Legg and P. Martin p101

DESIGN

Design of surface-acoustic wave devices. R.C. Woods p181

DIELECTRIC MATERIALS

Dependence of electrical tree inception and growth on mechanical properties. D.W. Auckland and B.R. Varlow p51
Effect of a magnetic field on low-pressure gaseous breakdown along the surface of a solid insulator. M. Ohki and S. Saito p300

DIGITAL CIRCUITS

Digital 'bridge' for comparison of AC–DC transfer instruments. R.B.D. Knight, D.J. Legg and P. Martin p169

DIGITAL COMMUNICATION SYSTEMS

Design of a fractional phase locked-loop frequency synthesiser using a Motorola based microcontroller. M.E. Rizkalla, H. Gundrum and H. Michel p295

DIGITAL COMPUTERS AND COMPUTATION

Discrete transform technique for solving coupled integro-differential equations in digital computers. S.Y.R. Hui and C. Christopoulos p273

DIGITAL-ANALOGUE CONVERSION

Design of a fractional phase locked-loop frequency synthesiser using a Motorola based microcontroller. M.E. Rizkalla, H. Gundrum and H. Michel p295

EDDY CURRENTS

Magnetic field and eddy current losses in linear and rotating permanent magnet machines with a large number of poles. Z.J. Liu, A. Vourdas and K.J. Binns p289
Response of horizontal axis eddy current coils to layered media: a theoretical and experimental study. R. Clark and L.J. Bond p248
Time domain model for the ferromagnetic core, including the effects of hysteresis and eddy currents. S.R. Naidu p44
Transient electromagnetic shielding in a system of two coaxial cylindrical shells. C.S. Antonopoulos, S.M. Panas and E.E. Kriezis p281

ELECTROMAGNETIC THEORY

Electromagnetic energy changes due to charges moving through constant, or zero, magnetic field. C.J. Carpenter p55
Electromagnetic surface impedance of an anisotropic cylinder. J.R. Wait p184
High frequency surface currents induced on a soft-hard cylindrical strip. Ç. Göksu and F. Güneş p113
NEMP-interaction with plane multilayer structures. W. Blumer and N. Ari p199
Response of horizontal axis eddy current coils to layered media: a theoretical and experimental study. R. Clark and L.J. Bond p248
Transient electromagnetic shielding in a system of two coaxial cylindrical shells. C.S. Antonopoulos, S.M. Panas and E.E. Kriezis p281

ENERGY CONVERSION AND STORAGE

MHD arcjet onset studies. T.S. Sheshadri p286

ENGINEERING AND SOCIETY

Electrical engineering; the backbone of society. D.A. Jones p1

FERRITES AND FERROMAGNETICS

Time domain model for the ferromagnetic core, including the effects of hysteresis and eddy currents. S.R. Naidu p44

GENERATORS

Slot discharge damage in air cooled stator windings. A. Wilson p153

HISTORY

Electrical engineering; the backbone of society. D.A. Jones p1

HYSTERESIS

Time domain model for the ferromagnetic core, including the effects of hysteresis and eddy currents. S.R. Naidu p44

INSTRUMENTATION AND MEASURING SCIENCE

Digital 'bridge' for comparison of AC–DC transfer instruments. R.B.D. Knight, D.J. Legg and P. Martin p169
Incorporating high reliability into the design of microprocessor-based instrumentation. I.A. Henderson, J. McGhee, W. Szaniawski and P. Domaradzki p105
Measurement of the load admittance and reactive current RMS value in the frequency domain. J.C. Montaño, M.C. Ibáñez, A.L. Ojeda and J.G. Benítez p138
Measurement of thermal transients in a thermal print head used for dye diffusion colour printing. P.W. Webb and R.A. Hann p98
Present state of the electrical units. B.P. Kibble p187
Response of horizontal axis eddy current coils to layered media: a theoretical and experimental study. R. Clark and L.J. Bond p248
Use of current comparators in the calibration of AC–DC transfer standards. R.B.D. Knight, D.J. Legg and P. Martin p101

INSULATORS AND INSULATION

Charge deposition on an insulating spacer under impulse-voltage conditions. I. Al-Bawy and O. Farish p145
Discharges in asymmetric cavities under AC stresses. G. Robinson p119
Effect of a magnetic field on low-pressure gaseous breakdown along the surface of a solid insulator. M. Ohki and S. Saito p300
Erosive failure caused by surface discharge on the surface of epoxy resin immersed in insulating oil. T. Ikejiri and A. Kawamoto p288
Insulator flashover in SF_6 under impulse voltage conditions. I. Al-Bawy and O. Farish p89
Slot discharge damage in air cooled stator windings. A. Wilson p153

LIGHTNING AND LIGHTNING PROTECTION

Function representation of lightning impulses produced by a testing circuit with continuity of voltages and currents at a tested object. R. Sobocki p78

MAGNETIC DEVICES AND PROPERTIES

Forces on semi-infinite overlapping rectangular poles: infinity permeable against saturable case. W. O'Connor p176
Magnetic field and eddy current losses in linear and rotating permanent magnet machines with a large number of poles. Z.J. Liu, A. Vourdas and K.J. Binns p289
Magnetism; it is permanent. K.J. Overshott p22

MAGNETIC FIELDS

Electromagnetic energy changes due to charges moving through constant, or zero, magnetic field. C.J. Carpenter p55

MANAGEMENT

Engineering change; or is it change engineering? A personal perspective. D.R. Towill p11

MATHEMATICAL TECHNIQUES

Discrete transform technique for solving coupled integro-differential equations in digital computers. S.Y.R. Hui and C. Christopoulos p273
Measurement of the load admittance and reactive current RMS value in the frequency domain. J.C. Montaño, M.C. Ibáñez, A.L. Ojeda and J.G. Benítez p138
Time domain model for the ferromagnetic core, including the effects of hysteresis and eddy currents. S.R. Naidu p44
Wave packet with special relativity demonstrating quantum rules, Schrödinger's equation and propagator integral. I.S. Reed p223

MICROPROCESSORS

Incorporating high reliability into the design of microprocessor-based instrumentation. I.A. Henderson, J. McGhee, W. Szaniawski and P. Domaradzki p105

Microprocessor based automatic sun tracker. A. Konar and A.K. Mandal p237

MOTORS

Slot discharge damage in air cooled stator windings. A. Wilson p153

NONDESTRUCTIVE TESTING

Electromagnetic surface impedance of an anisotropic cylinder. J.R. Wait p184

PHASING AND PHASE CONTROL

Design of a fractional phase locked-loop frequency synthesiser using a Motorola based microcontroller. M.E. Rizkalla, H. Gundrum and H. Michel p295

POWER SYSTEM PROTECTION

ZnO surge arrester elements with mixed direct and 50 Hz voltages. A. Haddad, H.S.B. Elayyan and D.M. German p265

POWER UTILISATION AND INDUSTRIAL APPLICATIONS

Thermal treatment of sewage sludge by ohmic heating. A.B. Murphy, K.J. Powell and R. Morrow p242

QUANTUM ELECTRONICS

Wave packet with special relativity demonstrating quantum rules, Schrödinger's equation and propagator integral. I.S. Reed p223

RELIABILITY

Incorporating high reliability into the design of microprocessor-based instrumentation. I.A. Henderson, J. McGhee, W. Szaniawski and P. Domaradzki p105

REVIEWS OF PROGRESS

Present state of the electrical units. B.P. Kibble p187

SERVOMOTORS

Microprocessor based automatic sun tracker. A. Konar and A.K. Mandal p237

SIMULATION

Forces on semi-infinite overlapping rectangular poles: infinity permeable against saturable case. W. O'Connor p176

Statistical study of impulse corona inception parameters on line conductors. N. Harid and R.T. Waters p161

Study of a five-electrode quadrupole levitation system. Part I: Theoretical aspects. D. Hu and B. Makin p320

Study of a five-electrode quadrupole levitation system. Part II: Experimental results. D. Hu and B. Makin p329

Verification of an alternating current corona model for use as a transmission line design aid. D.A. Rickard, J. Dupuy and R.T. Waters p250

SOLAR POWER

Microprocessor based automatic sun tracker. A. Konar and A.K. Mandal p237

SONICS AND ULTRASONICS

Characterisation of high frequency focused ultrasonic transducers using modulation transfer function: Concept and experimental approach. K. Shiloh, A.K. Som and L.J. Bond p205

STANDARDISATION AND STANDARDS

Present state of the electrical units. B.P. Kibble p187

SURFACE-ACOUSTIC-WAVE DEVICES (SAW)

Design of surface-acoustic wave devices. R.C. Woods p181

SYNCHRONOUS MOTORS

Magnetic field and eddy current losses in linear and rotating permanent magnet machines with a large number of poles. Z.J. Liu, A. Vourdas and K.J. Binns p289

SYSTEM PROTECTION

Statistical study of impulse corona inception parameters on line conductors. N. Harid and R.T. Waters p161

TRANSDUCERS

Characterisation of high frequency focused ultrasonic transducers using modulation transfer function: Concept and experimental approach. K. Shiloh, A.K. Som and L.J. Bond p205

TRANSMISSION LINES

Statistical study of impulse corona inception parameters on line conductors. N. Harid and R.T. Waters p161